


aluminium support system for
rainscreen cladding

NVELOPE NV1 SYSTEM




LEGEND:


- A - Cladding
- B - Cladding-rivet

- 1 - SFS steel wall + cement board
- 2 - Nvelope - support bracket
- 3 - Stainless steel fixing
- 4 - T-(L) profile vertical
- 5 - Self drilling stainless steel screw SR2 4.2 x 16
- 7 - Thermal insulation
- 8 - Ventilation Cavity
- 10 - NVELOPE Thermal isolator
- 11 - Corner Bracket
- 12 - Corner Rail

CONTENTS:


- NV1-00 NVELOPE System detail sheet
- NV1-01 Tolerances for bracket adjustment
- NV1-02 Cladding view locations
- NV1-03 Horizontal section
- NV1-04a Typical section large bracket
- NV1-04b Typical section medium bracket and profile connection
- NV1-05 Vertical section-base of cladding
- NV1-06 Vertical section-top of cladding
- NV1-07 Horizontal section window jamb
- NV1-08 Vertical section window sill
- NV1-09 Vertical section window head
- NV1-10a External corner
- NV1-10b External corner with corner bracket
- NV1-11 Internal corner






BRACKETS	Adjustment range for each bracket (mm)	
	from	to
Nvelope 40	47	67
Nvelope 60	62	102
Nvelope 90	92	132
Nvelope 120	122	162
Nvelope 150	152	192
Nvelope 180	182	222
Nvelope 210	212	252
Nvelope 240	242	282
Nvelope 270	272	312
Nvelope 300	302	342


HORIZONTAL SECTIONS
TOLERANCES FOR ADJUSTMENT




VIEW OF CLADDING - DETAIL LOCATIONS




VERTICAL SECTION - NVELOPE DOUBLE 90 FIXED POINT




VERTICAL SECTION - RAIL JOINT OF PROFILE




VERTICAL SECTION - BASE OF CLADDING




VERTICAL SECTION - TOP OF CLADDING




HORIZONTAL SECTION - WINDOW JAMB DETAIL




M= 1:1 (2:1)




VERTICAL SECTION - WINDOW SILL DETAIL




VERTICAL SECTION - WINDOW HEAD DETAIL



HORIZONTAL SECTION - EXTERNAL CORNER



HORIZONTAL SECTION - EXTERNAL CORNER - WITH CORNER BRACKET



HORIZONTAL SECTION - INTERNAL CORNER